Revision Date 04.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: AeroShell Oil Diesel Ultra
Product code	: 001D7346

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Synthetic lubricating oil for aircraft diesel engines., For further details consult the AeroShell Book on www.shell.com/aviation.
Uses advised against	This product must be used, handled and applied in accordance with the requirements of the equipment manufacturer's manuals, bulletins and other documentation. This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone	: (+44) 08007318888
Telefax	
Email Contact for Safety Data Sheet	: If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	No Hazard Symbol required
Signal word	:	No signal word

AeroShell Oil Diesel Ultra

Version 3.5	Revision Date 0	4.08.2020	Print Date 14.10.2020
Hazard statements :		PHYSICAL HAZARDS: Not classified as a physic according to CLP criteria HEALTH HAZARDS: Not classified as a health criteria. ENVIRONMENTAL HAZ Not classified as environ according to CLP criteria	hazard under CLP ARDS: mental hazard
Precautionary statements :	Prevention: Response: Storage: Disposal:	No precautionary phrase No precautionary phrase No precautionary phrase No precautionary phrase	s. s.

Safety data sheet available on request.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	 Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive diluent.
	 * contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375- 34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01- 2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65- 0 (01-2119471299-27), 68037-01-4 (01-2119486452-34), 72623-86-0 (01-2119474878-16), 72623-87-1 (01- 2119474889-13), 8042-47-5 (01-2119487078-27), 848301-69- 9 (01-0000020163-82), 68649-12-7 (01-2119527646-33), 151006-60-9 (01-2119523580-47), 163149-28-8 (01-

Revision Date 04.08.2020

Print Date 14.10.2020

2119543695-30).

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION	(% w/w)
	Registration	(EC) No	
	number	1272/2008)	
Interchangeable low		Asp. Tox.1; H304	0 - 90
viscosity base oil	Not Assigned	-	
(<20,5 cSt @40°C) *			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.		
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.		
In case of skin contact	: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.		
In case of eye contact	 Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention. 		
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
4.3 Indication of any immediate	medical attention and special treatment needed		
Treatment	: Notes to doctor/physician:		

Revision Date 04.08.2020

Print Date 14.10.2020

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
5.3 Advice for firefighters		•
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	6.1.1 For non emergency personnel: Avoid contact with skin and eyes.
		6.1.2 For emergency responders: Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and materials for containment and cleaning up

AeroShell Oil Diesel Ultra

Version 3.5	Revision Date 04.08.2020	Print Date 14.10.2020
Methods for cleaning up	 Slippery when spilt. Avoid accident Prevent from spreading by making a or other containment material. Reclaim liquid directly or in an abso Soak up residue with an absorbent suitable material and dispose of pro- 	a barrier with sand, earth rbent. such as clay, sand or other

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
7.1 Precautions for safe handling		
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
7.2 Conditions for safe storage, including any incompatibilities		
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
		Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.
		The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guidance may be obtained from the local environmental agency office.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high

AeroShell Oil Diesel Ultra

Version 3.5 Revision Date 04.08.2020 Print Date 14.10.2020

temperatures because of possible risk of distortion.

7.3 Specific end use(s)

Specific use(s)

: Not applicable

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral		TWA	5 mg/m3	US. ACGIH Threshold Limit Values

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

AeroShell Oil Diesel Ultra

Version 3.5

Revision Date 04.08.2020

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm
	depending on the glove make and model.

AeroShell Oil Diesel Ultra

i u Sheli Uli Diesei Uli	a		
sion 3.5	Revision	Date 04.08.2020	Print Date 14.10.2020
Skin and body protection	work cloth	ection is not ordinarily requines. practice to wear chemical	
Respiratory protection	conditions In accords precaution If enginee concentra health, se specific co Check wit Where air appropria Select a f and vapo	atory protection is ordinarily s of use. ance with good industrial h ns should be taken to avoid ering controls do not mainta ations to a level which is ad elect respiratory protection of onditions of use and meeting th respiratory protective eq r-filtering respirators are su te combination of mask and ilter suitable for combined p urs [Type A/Type P boiling EN14387 and EN143.	ygiene practices, d breathing of material. ain airborne lequate to protect worker equipment suitable for the ng relevant legislation. uipment suppliers. itable, select an d filter. particulate/organic gases
Thermal hazards	: Not applic	cable	
Hygiene measures	reasonab	to this product should be r ly practicable. Reference s d Safety Executive's public s".	hould be made to the
Environmental exposure co	trols		
General advice	relevant e contamina Section 6 being disc treated in before dis Local guid	ropriate measures to fulfill environmental protection legation of the environment by . If necessary, prevent und charged to waste water. We a municipal or industrial w scharge to surface water. delines on emission limits for beserved for the discharge	gislation. Avoid / following advice given in dissolved material from aste water should be aste water treatment plant or volatile substances

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.
Colour	: amber
Odour Threshold	: Data not available

AeroShell Oil Diesel Ultra

ion 3.5		Revision Date 04.08.2020	Print Date 14.10.202
рН	:	Not applicable	
pour point	:	-39 °CMethod: ASTM D97	
Melting / freezing point		Data not available	
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)	
Flash point	:	215 °C Method: ASTM D92 (COC)	
Evaporation rate	:	Data not available	
Flammability (solid, gas)	:	Data not available	
Upper explosion limit	:	Typical 10 %(V)	
Lower explosion limit	:	Typical 1 %(V)	
Vapour pressure	:	< 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	:	> 1estimated value(s)	
Relative density	:	0.850 (15 °C)	
Density	:	850 kg/m3 (15.0 °C) Method: ASTM D4052	
Solubility(ies)			
Water solubility	:	negligible	
Solubility in other solvents	:	Data not available	
Partition coefficient: n- octanol/water	:	log Pow: > 6(based on information on sir	milar products)
Auto-ignition temperature	:	> 320 °C	
Decomposition temperature	:	Data not available	
Viscosity			
Viscosity, dynamic	:	Data not available	
Viscosity, kinematic	:	68.2 mm2/s (40.0 °C) Method: ASTM D445	
		12.0 mm2/s (100 °C) Method: ASTM D445	

AeroShell Oil Diesel Ultra

Version 3.5	Revision Date 04.08.2020	Print Date 14.10.2020
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
9.2 Other information		
Conductivity	: This material is not expected to be a	static accumulator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable. No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	: Reacts with strong oxidising agents.
10.4 Conditions to avoid	
Conditions to avoid	: Extremes of temperature and direct sunlight.
10.5 Incompatible materials	
Materials to avoid	: Strong oxidising agents.
10.6 Hazardous decomposition p	products
Hazardous decomposition products	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:

AeroShell Oil Diesel Ultra

Version 3.5	Revision Date 04.08.2020	Print Date 14.10.2020
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classifi	cation criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, t are not met.	the classification criteria
Acute dermal toxicity	: LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classifi	cation criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not a sensitiser., Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

AeroShell Oil Diesel Ultra

Version 3.5

Revision Date 04.08.2020

Print Date 14.10.2020

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Continuous contact with used engine oils has caused skin cancer in animal tests.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the Germ cell mutagenicity- Assessment	 CMR properties This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	: This product does not meet the criteria for classification in categories 1A/1B.
Reproductive toxicity -	: This product does not meet the criteria for classification in

SAFETY DATA SHEET According to EC No 1907/2006 as amended as at the date of this SDS AeroShell Oil Diesel Ultra

Version 3.5	Revision Date 04.08.2020	Print Date 14.10.2020
_		

Assessment

categories 1A/1B.

SECTION 12: Ecological information

12.1 Toxicity

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Toxicity to fish (Acute	:	Remarks: LL/EL/IL50 > 100 mg/l
toxicity)		Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic	:	Remarks: Data not available
toxicity) Toxicity to crustacean (Chronic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available

12.2 Persistence and degradability

Product:

Biodegradability

: Remarks: Not readily biodegradable., Major constituents are inherently biodegradable, but contains components that may persist in the environment.

12.3 Bioaccumulative potential

Product:

AeroShell Oil Diesel Ultra

Version 3.5	Revision D	Date 04.08.2020	Print Date 14.10.2020	
Bioaccumulation		Remarks: Contains components with the potential to bioaccumulate.		
Partition coefficient: n- octanol/water	: log Pow: > products)	6Remarks: (based on info	ormation on similar	
12.4 Mobility in soil				
Product:				
Mobility	enters soil, mobile.	 Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile. Remarks: Floats on water. 		
12.5 Results of PBT and vPvB assessment				
Product:				
Assessment		 This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB. 		
12.6 Other adverse effects				
Product:				
Additional ecological information	ozone crea is a mixture released to conditions o	ave ozone depletion poter tion potential or global wa of non-volatile componer air in any significant quar of use. ble mixture., Causes phys	arming potential., Product nts, which will not be ntities under normal	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

AeroShell Oil Diesel Ultra

Version 3.5	Revision Date 04.08.2020	Print Date 14.10.2020
Local legislation		
Waste catalogue	:	
	EU Waste Disposal Code (EWC):	
Waste Code	:	
	13 02 06*	
Remarks	: Disposal should be in accordance w national, and local laws and regulation	
	Classification of waste is always the user.	responsibility of the end

SECTION 14: Transport information

14.1 UN number	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.2 Proper shipping name	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.3 Transport hazard class	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.5 Environmental hazards	
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
14.6 Special precautions for user	
Remarks	: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

Revision Date 04.08.2020

Print Date 14.10.2020

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safe	ety, health and environme	ntal regulations/legislation specific for the substance or mixture
	ACH - List of substances sub nex XIV)	ject to authorisation : Product is not subject to Authorisation under REACH.
Vola	atile organic compounds	: 0%
Othe	er regulations	 The regulatory information is not intended to be comprehensive. Other regulations may apply to this material. Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), annex XIV. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), annex XVI.

AeroShell Oil Diesel Ultra

Version 3.5	Revision Date 04.08.2020	Print Date 14.10.2020
	Directive 2004/37/EC on the protecti risks related to exposure to carcinog and its amendments. Directive 1994/33/EC on the protecti work and its amendments. Council Directive 92/85/EEC on the to encourage improvements in the s pregnant workers and workers who or are breastfeeding and its amendments	ens or mutagens at work ion of young people at introduction of measures afety and health at work of have recently given birth

The components of this product are reported in the following inventories:

EINECS	:	All components listed or polymer exempt.
TSCA	:	All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

,

Full text of H-Statements

H304 May be fatal if swallowed and enters airways.

Full text of other abbreviations

Asp. Tox.	Aspiratio	n hazard
Abbreviations and Acron	iyms :	The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists
		ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road
		AICS = Australian Inventory of Chemical Substances
		ASTM = American Society for Testing and Materials
		BEL = Biological exposure limits
		BTEX = Benzene, Toluene, Ethylbenzene, Xylenes
		CAS = Chemical Abstracts Service
		CEFIC = European Chemical Industry Council
		CLP = Classification Packaging and Labelling
		COC = Cleveland Open-Cup
		DIN = Deutsches Institut fur Normung
		DMEL = Derived Minimal Effect Level
		DNEL = Derived No Effect Level
		DSL = Canada Domestic Substance List
		EC = European Commission
		EC50 = Effective Concentration fifty

SAFETY DATA SHEET

According to EC No 1907/2006 as amended as at the date of this SDS

sion 3.5	Revision Date 04.08.2020	Print Date 14.10.202				
	ECETOC = European Center on Ec	otoxicology and				
	Toxicology Of Chemicals					
	ECHA = European Chemicals Agen	су				
	EINECS = The European Inventory of Existing Commercial					
	Chemical Substances					
	EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances					
	Inventory					
	EWC = European Waste Code					
	GHS = Globally Harmonised System	n of Classification and				
	Labelling of Chemicals					
	IARC = International Agency for Res					
	IATA = International Air Transport A IC50 = Inhibitory Concentration fifty	ssociation				
	IL50 = Inhibitory Level fifty					
	IMDG = International Maritime Dang	erous Goods				
	INV = Chinese Chemicals Inventory					
	IP346 = Institute of Petroleum test					
	determination of polycyclic aromatic					
	KECI = Korea Existing Chemicals In LC50 = Lethal Concentration fifty	iventory				
	LD50 = Lethal Dose fifty per cent.					
	LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading					
	LL50 = Lethal Loading fifty					
	MARPOL = International Conventior	n for the Prevention of				
	Pollution From Ships NOEC/NOEL = No Observed Effect Concentration / N Observed Effect Level	Concentration / No				
		Concentration / No				
	OE_HPV = Occupational Exposure	- High Production Volume				
	PBT = Persistent, Bioaccumulative a					
	PICCS = Philippine Inventory of Che	emicals and Chemical				
	Substances					
	PNEC = Predicted No Effect Concer REACH = Registration Evaluation A					
	Chemicals	nd Additionsation Of				
	RID = Regulations Relating to Intern	national Carriage of				
	Dangerous Goods by Rail	-				
	SKIN_DES = Skin Designation					
	STEL = Short term exposure limit					
	TRA = Targeted Risk Assessment TSCA = US Toxic Substances Cont	rol Act				
	TWA = Time-Weighted Average					
	vPvB = very Persistent and very Bio	accumulative				
Further information						
	_					
Training advice	:					
	Provide adequate information, instruoperators.	uction and training for				
Other information	: No Exposure Scenario annex is atta	ched to this safety data				

Version 3.5	Revision Date 04.08.2020	Print Date 14.10.2020
	sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar () in the left margin indicates an amendment	
	from the previous version.	
Sources of key data used to compile the Safety Data Sheet	: The quoted data are from, but not limited sources of information (e.g. toxicological	
	Health Services, material suppliers' data IUCLID date base, EC 1272 regulation,	a, CONCAWE, EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.