



U.S. Department  
of Transportation  
Federal Aviation  
Administration

FAA-H-8083-23



# ***Seaplane, Skiplane, and Float/Ski Equipped Helicopter Operations Handbook***

# CONTENTS

## CHAPTER 1—Rules, Regulations, and Aids for Navigation

Privileges and Limitations . . . . .	1-1
Seaplane Regulations . . . . .	1-1
14 CFR Part 91, Section 91.115, Right-of-Way Rules: Water Operations . . . . .	1-2
Rules of the Sea . . . . .	1-2
Inland and International Waters . . . . .	1-2
United States Aids for Marine Navigation . . . . .	1-2
Seaplane Landing Areas . . . . .	1-2
Buoys and Daybeacons . . . . .	1-2
Nighttime Buoy Identification . . . . .	1-4

## CHAPTER 2—Principles of Seaplanes

Seaplane Characteristics . . . . .	2-1
Seaplane Flight Principles . . . . .	2-4

## CHAPTER 3—Water Characteristics and Seaplane Base Operations

Characteristics of Water . . . . .	3-1
Determining Sea Conditions . . . . .	3-1
Water Effects on Operations . . . . .	3-3
Seaplane Base Operations . . . . .	3-4

## CHAPTER 4—Seaplane Operations – Preflight and Takeoffs

Preflight Inspection . . . . .	4-1
Starting the Engine . . . . .	4-3
Taxiing and Sailing . . . . .	4-3
Idling Position . . . . .	4-3
Plowing Position . . . . .	4-4
Planing or Step Position . . . . .	4-4
Turns . . . . .	4-5
Sailing . . . . .	4-8
Porpoising . . . . .	4-9
Skipping . . . . .	4-10
Takeoffs . . . . .	4-10
Normal Takeoffs . . . . .	4-12
Crosswind Takeoffs . . . . .	4-12
Controlled Weathervaning . . . . .	4-13
Using Water Rudders . . . . .	4-14

Downwind Arc . . . . .	4-14
Downwind Takeoffs . . . . .	4-14
Glassy Water Takeoffs . . . . .	4-15
Rough Water Takeoffs . . . . .	4-16
Confined Area Takeoffs . . . . .	4-16

## CHAPTER 5—Performance

Performance Considerations for Takeoff, Climb, Cruise, and Landing . . . . .	5-1
Takeoff . . . . .	5-1
Climb and Cruise . . . . .	5-2
Landing . . . . .	5-2
Flight Characteristics of Seaplanes with High Thrust Lines . . . . .	5-3
Multiengine Seaplanes . . . . .	5-4

## CHAPTER 6—Seaplane Operations – Landings

Landing Area Reconnaissance and Planning . . . . .	6-1
Landing . . . . .	6-2
Normal Landing . . . . .	6-3
Crosswind Landing . . . . .	6-3
Downwind Landing . . . . .	6-5
Glassy Water Landing . . . . .	6-5
Rough Water Landing . . . . .	6-7
Confined Area Landing . . . . .	6-7
Go-Around . . . . .	6-8
Emergency Landing . . . . .	6-8
Postflight Procedures . . . . .	6-8
Anchoring . . . . .	6-9
Mooring . . . . .	6-9
Docking . . . . .	6-10
Beaching . . . . .	6-10
Ramping . . . . .	6-10
Salt Water . . . . .	6-11

## CHAPTER 7—Skiplane Operations

Skiplane Operations . . . . .	7-1
Construction and Maintenance . . . . .	7-1
Plain Ski Types . . . . .	7-1
Combination Ski Types . . . . .	7-1

Operational Considerations . . . . .	7-2
Types of Snow . . . . .	7-2
Types of Ice . . . . .	7-2
Surface Environments . . . . .	7-3
Preflight . . . . .	7-3
Starting . . . . .	7-4
Taxiing . . . . .	7-5
Takeoffs . . . . .	7-5
Off-Airport Landing Sites . . . . .	7-6
Glaciers . . . . .	7-6
Lakes and Rivers . . . . .	7-6
Tundra . . . . .	7-6
Lighting . . . . .	7-6
Landings . . . . .	7-7
Parking/Postflight . . . . .	7-7
Emergency Operations . . . . .	7-8
Ski Malfunction . . . . .	7-8
Night Emergency Landing . . . . .	7-8

**CHAPTER 8—Emergency Open Sea Operations**

Operations in Open Seas . . . . .	8-1
Definitions . . . . .	8-1
Sea State Evaluation . . . . .	8-1
Swell System Evaluation . . . . .	8-3
High Reconnaissance . . . . .	8-3
Low Reconnaissance . . . . .	8-3
Select Landing Heading . . . . .	8-3
Select Touchdown Area . . . . .	8-4
Landing Parallel to the Swell . . . . .	8-4
Landing Perpendicular to the Swell . . . . .	8-4
Landing with More Than One Swell System . . . . .	8-4
Effect of Chop . . . . .	8-5
Night Operations . . . . .	8-5
Sea Evaluation at Night . . . . .	8-6

Night Emergency Landing . . . . .	8-6
Landing by Parachute Flare . . . . .	8-6
Landing by Markers . . . . .	8-6
Emergency Landing Under Instrument Conditions . . . . .	8-7
Escaping a Submerged Seaplane . . . . .	8-8
Orientation . . . . .	8-8
Water Pressure . . . . .	8-8
Flotation Equipment . . . . .	8-8
Normal and Unusual Exits . . . . .	8-8

**CHAPTER 9—Float and Ski Equipped Helicopters**

Float Equipped Helicopters . . . . .	9-1
Construction and Maintenance . . . . .	9-1
Operational Considerations . . . . .	9-2
Preflight Inspection . . . . .	9-3
Starting . . . . .	9-3
Taxiing and Hovering . . . . .	9-3
Takeoff . . . . .	9-4
Landing . . . . .	9-4
Autorotation . . . . .	9-6
Shutdown and Mooring . . . . .	9-6
Ground Handling . . . . .	9-6
Ski Equipped Helicopters . . . . .	9-6
Construction and Maintenance Requirements . . . . .	9-7
Operational Characteristics . . . . .	9-7
Preflight Requirements . . . . .	9-7
Starting . . . . .	9-7
Taxiing and Hovering . . . . .	9-7
Takeoff . . . . .	9-7
Landing . . . . .	9-8
Autorotation . . . . .	9-8
Ground Handling . . . . .	9-8

<b>Glossary . . . . .</b>	<b>G-1</b>
<b>Index . . . . .</b>	<b>I-1</b>

# Chapter 1

## Rules, Regulations, and Aids for Navigation

### PRIVILEGES AND LIMITATIONS

In general, the privileges and limitations of a seaplane rating are similar to those of the equivalent land rating. The same standards and requirements apply as for comparable landplane certificates.

While it is possible for a student to use a seaplane to obtain all the flight training necessary to earn a pilot certificate, and many pilots have done so, this publication is intended primarily for pilots who already hold airman certificates and would like to add seaplane capabilities. Therefore, this chapter does not address pilot certificate requirements, regulations, or procedures that would also apply to landplane operations. Information on regulations not directly related to water operations is available in other Federal Aviation Administration (FAA) publications.

For certification purposes, the term “seaplane” refers to a class of aircraft. A pilot requires additional training when transitioning to a seaplane. Ground and flight training must be received and logged, and a pilot must pass a class rating practical test prior to initial operations as pilot in command. This training requires the use of an authorized flight instructor to conduct such training and attest to the competency of a pilot prior to taking the practical test. Because the seaplane rating is part of an existing pilot certificate, the practical test is not as extensive as for a new pilot certificate, and covers only the procedures unique to seaplane operations. No separate written test is required for pilots who are adding seaplane to an existing pilot certificate.

Adding a seaplane rating does not modify the overall limitations and privileges of the pilot certificate. For example, private pilots with a seaplane rating are not authorized to engage in seaplane operations that would require a commercial certificate. Likewise, a pilot with a single-engine seaplane class rating may not fly multi-engine seaplanes without further training. However, no regulatory distinction is made between flying boats and seaplanes equipped with floats. [Figure 1-1]

### SEAPLANE REGULATIONS

Because of the nature of seaplane operations, certain regulations apply. Most of them are set forth in Title 14




Figure 1-1. Seaplane is a class.

of the Code of Federal Regulations (14 CFR) parts 1, 61, and 91.

Just as land-based pilots must understand airport operations, the pilot certification requirements in 14 CFR part 61 require seaplane pilots to know and use the rules for seaplane base operations.

Specific regulations recognize the unique characteristics of water operations. For example, 14 CFR part 61, section 61.31 takes into account that seaplanes seldom have retractable landing gear as such, so an endorsement to act as pilot in command of a complex seaplane requires training in a seaplane with flaps and a controllable pitch propeller. Likewise, in 14 CFR part 91, section 91.107, there is an exception to the rule that everyone must have a seat and wear a seatbelt during movement on the surface. The person pushing off or mooring a seaplane at a dock is authorized to move around while the seaplane is in motion on the surface.

### **14 CFR PART 91, SECTION 91.115 RIGHT-OF-WAY RULES: WATER OPERATIONS**

The right-of-way rules for operation on water are similar, but not identical, to the rules governing right-of-way between aircraft in flight.

- (a) General. Each person operating an aircraft on the water shall, insofar as possible, keep clear of all vessels and avoid impeding their navigation, and shall give way to any vessel or other aircraft that is given the right-of-way by any rule of this section.
- (b) Crossing. When aircraft, or an aircraft and a vessel, are on crossing courses, the aircraft or vessel to the other's right has the right-of-way.
- (c) Approaching head-on. When aircraft, or an aircraft and a vessel, are approaching head-on, or nearly so, each shall alter its course to the right to keep well clear.
- (d) Overtaking. Each aircraft or vessel that is being overtaken has the right-of-way, and the one overtaking shall alter course to keep well clear.
- (e) Special circumstances. When aircraft, or an aircraft and a vessel, approach so as to involve risk of collision, each aircraft or vessel shall proceed with careful regard to existing circumstances, including the limitations of the respective craft.

### **RULES OF THE SEA**

According to United States Coast Guard (USCG) regulations, the definition of a vessel includes virtually anything capable of being used for transportation on water, including seaplanes on the water. Therefore, any time a seaplane is operating on the

water, whether under power or not, it is required to comply with USCG navigation rules applicable to vessels. Simply adhering to 14 CFR part 91, section 91.115 should ensure compliance with the USCG rules. Pilots are encouraged to obtain the USCG Navigation Rules, International-Inland, M16672.2D, available from the U.S. Government Printing Office. These rules apply to all public or private vessels navigating upon the high seas and certain inland waters.

### **INLAND AND INTERNATIONAL WATERS**

Inland waters are divided visually from international waters by buoys in areas with frequent ocean traffic. Inland waters are inshore of a line approximately parallel with the general trend of the shore, drawn through the outermost buoy. The waters outside of the line are international waters or the high seas.

Seaplanes operating inshore of the boundary line dividing the high seas from the inland waters must follow the established statutory Inland Rules (Pilot Rules). Seaplanes navigating outside the boundary line dividing the high seas from inland waters must follow the International Rules of the Sea. All seaplanes must carry a current copy of the rules when operating in international waters.

### **UNITED STATES AIDS FOR MARINE NAVIGATION**

For safe operations, a pilot must be familiar with seaplane bases, maritime rules, and aids to marine navigation.

### **SEAPLANE LANDING AREAS**

The familiar rotating beacon is used to identify lighted seaplane landing areas at night and during periods of reduced visibility; however, the colors alternate white and yellow for water landing areas. A double white flash alternating with yellow identifies a military seaplane base.

On aeronautical charts, seaplane landing areas are depicted with symbols similar to land airports, with the addition of an anchor in the center. As with their land counterparts, tick marks around the outside of the symbol denote a seaplane base with fuel and services available, and a double ring identifies military facilities. [Figure 1-2]

### **BUOYS AND DAYBEACONS**

Buoys are floating markers held in place with cables or chains to the bottom. Daybeacons are used for similar purposes in shallower waters, and usually consist of a marker placed on top of a piling or pole driven into the bottom. Locations of buoys within U.S. waters are



Figure 1-2. Seaplane landing areas have distinctive symbols to distinguish them from land airports.

shown on nautical charts prepared by the Office of Coast Survey (OCS), an office within the National Oceanic and Atmospheric Administration (NOAA). Light lists prepared by the Coast Guard describe lightships, lighthouses, buoys, and daybeacons maintained on all navigable waters of the United States.

The buoyage system used in the United States employs a simple arrangement of colors, shapes, numbers, and lights. Whenever operating near buoys, keep in mind that the length of chain holding the buoy in place is likely to be several times the depth of the water, so the buoy may be some distance from its charted location, as well as from any danger or obstruction it is intended to mark. Do not come any closer to a buoy than necessary.

Buoys with a cylindrical shape are called can buoys, while those with a conical shape are known as nun buoys. The shape often has significance in interpreting the meaning of the buoy. [Figure 1-3]

Since a buoy's primary purpose is to guide ships through preferred channels to and from the open sea, the colors, shapes, lights, and placement become meaningful in that context. Approaching from seaward, the left (port) side of the channel is marked with black or green can buoys. These buoys use odd numbers whose values increase as the vessel moves toward the coast. They also mark obstructions that should be kept to the vessel's left when proceeding from seaward.

The right side of the channel, or obstructions that should be kept to the vessel's right when headed toward shore, are marked with red nun buoys. These




Figure 1-3. Buoys typically used along waterways.