



PRIME C2 PRO

Powerful Every Day Carry light —
incredibly bright wide output in
classic form

 **2230**
MAX LUMENS

 **6.5**
MONTHS RUNTIME

 **121**
METERS THROW

 WHITE OR
WARM
LIGHT

 **RECHARGEABLE**
Magnetic USB charger
and battery included

 **2 in 1**



1. EVERY DAY CARRY LIGHT

Removable stainless
steel clip



Reliable mounting on clothing,
belt or bag



Deep fit on the pocket

1. EVERY DAY CARRY LIGHT

Nylon holster with several fixing options:
on a belt of any width, on equipment thanks
to durable ring



Powerful built-in
magnet in the tailcap
for attachment to any
metal surface



1. EVERY DAY CARRY LIGHT

Special matt anti-abrasive
finish without rough knurling,
convenient holding even with
wet hands

Enlarged side button, softer
and more comfortable pressing

Steel striking bezel for additional
protection of the optical system in the
event of a fall and for self-defence



Compact and
lightweight
shortened body
for even more
comfortable
day-to-day carry

25.4 mm
HEAD DIAMETER

117.7 mm
LENGTH

68 / 118 g
WEIGHT WITHOUT / WITH BATTERY

2. SPORTS FLASHLIGHT

Several brightness modes for
convenient use in the city or in nature



40 – 2400
LUMENS



123
METERS

New springs: stable
operation during
dynamic activities,
additional battery and
driver protection



2. SPORTS FLASHLIGHT

Horizontal installation on the
handlebar

Changing the
position of the
flashlight in the
mount to select the
low beam or the high
beam

Optional quick-
release bicycle
mount ABM-01

Durable silicone ring for
additional fixation


Body made from durable and
lightweight aircraft-grade
aluminium 6061-T6, improved
shock resistance



POWERFUL ELECTRONICS

PRO


Impressive
light output

 **2400**
MAX LUMENS

Record runtime
in Firefly mode

 **6.5**
MONTHS

Constant brightness even at low ambient
temperatures and not fully charged battery

 **from -25 °C to +40 °C**



ARMYTEK

PRIME C2 PRO

MULTICOLOR INDICATION

PRO

Temperature, battery level and state indication
with the ability to turn off the latter

- **FLASHES EVERY 4 SECONDS**
- Show the battery level even in OFF state, help to find the flashlight in the dark or in the grass
-



Battery level indication

- **FLASHES 1 TIME IN 2 SECONDS**
Warning battery level
- **FLASHES 1 TIME IN 1 SECOND**
Critical battery level



Temperature indication

- **FLASHES 3 TIMES IN 2 SECONDS**
Warning temperature level
- **FLASHES 3 TIMES IN 1 SECOND**
Critical temperature level

ARMYTEK

PRIME C2 PRO

CONVENIENT WIDE BEAM

123 m

120°

Soft stream of light without a distinct hotspot does not cause eye fatigue during prolonged operation.

Fully upgraded optical system provides more convenient wide beam with 120° spill

Steel bezel and tempered glass with anti-reflective coating for protection of the TIR-lens


123
METERS DISTANCE

120°
BEAM ANGLE

STEEL
BEZEL

TEMPERED
GLASS

TIR-LENS



TWO TYPES OF OPERATION

PRO

1. SIMPLE OPERATION

6 modes by default, easy to use right out of the box

2. ADVANCED OPERATION

12 modes for professional application, quick access to the required mode

SWITCHING BETWEEN TYPES OF OPERATION

Unscrew the tailcap to 1/4 while the flashlight is off, press the button and tighten the tailcap while keeping the button pressed

SWITCHING BETWEEN THE MODES

is carried out using the button

AUTOMEMORIZING

After switching off the last used mode is memorized for quick access at next switching on




INNOVATIVE TECHNOLOGY

Use of any standard 18650 Li-Ion battery



Full protection against short circuit even in case of contact between magnetic connector and metal objects



We recommend Armytek 18650 Li-Ion 3500 mAh batteries based on Korean and Japanese components



FAST MAGNETIC CHARGER

Compatible with standard
18650 Li-Ion batteries of any
manufacturer

Used with any wall or car USB
adapter

Reliable and durable magnetic port

Charges 18650 Li-Ion
3500 mAh battery in

**3 hours
40 minutes**



CHARGING PROCESS



ORANGE BLINKING
Bad contact or low USB
power source voltage

RED BLINKING
Unscrew the tailcap to 1/4
of a circle

For charging: unscrew the
tailcap of the flashlight to
1/4 of a circle and adjust
the magnetic charger

Indication



RED
Charging



GREEN
Charging is finished



ORANGE
USB power source voltage
is too low, charging current
is reduced

After charging: unplug the
charger, tighten the tailcap

TEMPERATURE CONTROL

Active real-time temperature control ensures safe and comfortable use


When the temperature becomes close to +58 °C, the brightness decreases, which allows avoiding flashlight and battery overheating, as well as LED degradation

Combination of maximum efficiency and lightweight compact body

Thought-out head design for better heat dissipation, spring on the driver to protect the battery from overheating



**COMPLIANT WITH EUROPEAN
SAFETY STANDARDS**



HIGH RELIABILITY

IP68 standard
Total protection from water and dust



Submersion
at 10 meters up to 5 hours



Fallings from
up to 10 meters



Water resistant
magnetic connector



ADDITIONAL ACCESSORIES

Color filters to expand the
functionality of the flashlight



Blue light for reading maps



Red light for maintaining night vision when
interchanging between turning the light on
and off, almost invisible for animals, doesn't
attract insects



Green light for use in woodland areas, not
perceived by animals as a threat

UNPRECEDENTED WARRANTY



Armytek provides free warranty repairs for 10 years (excluding batteries, chargers, switches and connectors, which have 2-year warranty) from the date of purchase if there is a document confirming the purchase.

VERSIONS WITH WHITE OR WARM LIGHT



WHITE LIGHT

- More efficient blinding effect when using Strobe mode for self-defence
- Light output is 7% more
- Beam distance is 3% more



WARM LIGHT

- More efficient in rain and fog
- Better conveys the natural color of objects
- Reduces eye fatigue during prolonged use

WELL-THOUGHT-OUT SET OF ACCESSORIES



1. Flashlight
2. 18650 Li-ion battery 3500 mAh
3. Magnetic USB charger

4. Nylon holster
5. Steel clip

6. 2 spare O-rings
7. User manual in eight languages